Google scholar | content "degree of reliability" "active search" | Search | Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents ▾ | 1990 - 2004 | include citations ▾ | Results **1 - 5** of **5**. (0.1

[PDF] ►A software toolkit for prototyping distributed applications
J French, C Viles - 1992 - Citeseer
... It is important to note that routers know absolutely nothing about the application specific **content** of a message - it is treated as a simple stream of bytes that is interpretable by some agent. ... The bidirectional routines offer a greater **degree of reliability**. Successful return ...
Cited by 3 - Related articles - View as HTML - All 3 versions

Fuzzy Relational Model for Knowledge Processing and Decision Making
DAH Abbasov, M Mamedova, V ... - Advances in Mathematics ..., 2002 - books.google.com
... **Active search** of ways of modernization of the Zadeh's approach to the problems of knowledge representation in intelligent systems (IS) is being ... of a threshold of decision making about similarity of fuzzy objects is caused by necessity of increasing the **degree of reliability** of the ...
Cited by 1 - Related articles

6 The European software sectoral system of innovation
WE Steinmueller - Sectoral Systems of Innovation: Concepts, Issues ..., 2004 - books.google.com
... because of the extent to which commonly used soft- ware, such as spreadsheet or World Wide Web **content** creation software ... Unfortunately, none of these mechanisms operates with any **degree of reliability** or stability in the software industry; their contribution is episodic and ...
Cited by 14 - Related articles - All 3 versions

[BOOK] Reflexive ethnographic science
R Aunger - 2003 - books.google.com
Page 1. Reflexive Ethnographic Science Page 2. Page 3. Reflexive Ethnographic Science Thd. s One QS1U-56B-QGBU Page 4. Page 5. Reflexive Ethnographic Science Robert Aunger PRESS A Division ofRowman &f Littlefield Publishers, Inc. ...
Cited by 43 - Related articles

[PDF] ►An elementary school hallway: Social formations and meanings outside the ...
DE Ratcliff - 1994 - don.ratcliffs.net
... the data being consistently observed. More important than reliability, therefore, is the issue of validity. However, some qualitative researchers suggest that a **degree of reliability** is desirable. Reliability is fostered by using low ...
Cited by 6 - Related articles - View as HTML - All 2 versions

| content "degree of reliability" "active | Search |

Google scholar | search results content "degree of reliability" | Search | Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents ▾ | 1990 – 2004 | include citations ▾ | Results **1 - 10** of abou

▶ ... of adverse events and negligence in hospitalized patients: **results** of the Harvard ...
TA Brennan, LL Leape, NM Laird, L Hebert, AR ... - Quality and Safety in ..., 2004 - qshc.bmj.com
... We reviewed all the records found in this follow up **search** using our regular ... These **results** may
be compared with those of the only other large scale effort to ... However, the more difficult judgments
regarding negligence had a lower **degree of reliability** (kappa = 0.24), although the ...
Cited by 2480 - Related articles - BL Direct - All 18 versions

Reliability and validity of estimating the NIH stroke scale score from medical ...-
▶ahajournals.org
SE Kasner, JA Chalela, JM Luciano, BL Cucchiara, EC ... - Stroke, 1999 - Am Heart Assoc
... Our **results** suggest that the NIHSS can be estimated from the review of medical
records with a high **degree of reliability** and validity. Prior studies 1 2 3 4 have
demonstrated the value of the NIHSS in prospective stroke research. ...
Cited by 125 - Related articles - BL Direct - All 5 versions

Identifying influential attributes in freight route/mode choice decisions: a **content** ...
K Cullinane, N Toy - Transportation Research Part E, 2000 - Elsevier
... Quick **Search** All fields Author **Search** tips (Opens new window) Journal/book title. Volume Issue
Page Clear all fields Advanced **Search**. ... 5. **Results**. Table 2 and Table 3 show the summary
statistics derived from a manifest **content** analysis of seventy-five articles contained in a ...
Cited by 51 - Related articles - BL Direct - All 2 versions

ESPEN guidelines for nutrition screening 2002- ▶groupedenutrition.ch [PDF]
J Kondrup, SP Allison, M Elia, B Vellas, M Plauth - Clinical Nutrition, 2003 - Elsevier
... tips (Opens new window) Journal/book title. Volume Issue Page Clear all fields Advanced **Search**. ...
The new series of studies describe the impairment of function as a **results** of various ... Its **content**
validity has been assured by involving a multidisciplinary working group in its ...
Cited by 320 - Related articles - BL Direct - All 15 versions

Reliability of spinal palpation for diagnosis of back and neck pain: a systematic ...
MA Seffinger, WI Najm, SI Mishra, A Adams, VM ... - Spine, 2004 - journals.lww.com
... 32 One article was added at a later date following a hand **search** of references ... differences in their
quality scores, the article was reviewed by two **content** experts and ... of study conditions and
examiners' professional training, data analysis, and presentation of **results** were the ...
Cited by 54 - Related articles - All 2 versions

Classification of childhood epilepsy syndromes in newly diagnosed epilepsy: ...
AT Berg, SR Levy, FM Testa, S Shinnar - Epilepsia, 1999 - interscience.wiley.com
... Interrater agreement was assessed with K. **Results**: Interrater agreement was extremely good,
with k scores ≥0.80 for almost all comparisons. ... **Search** by Citation. Vol: Issue: Page: Go.
SEARCH WILEY INTERSCIENCE. All **Content** Publication Titles. ...
Cited by 71 - Related articles - BL Direct - All 4 versions

Use of the Barthel index and modified Rankin scale in acute stroke trials- ▶ahajournals.org
G Sulter, C Steen... - Stroke, 1999 - Am Heart Assoc
... Although both scales are easy to use and have an acceptable **degree of reliability**, 3 4 there is
apparently no consensus on ... in which the efficacy of either thrombolytics, neuroprotective drugs,

or antithrombotic compounds was investigated and the final **results** were published ...
Cited by 256 - Related articles - BL Direct - All 5 versions

Ictal scalp EEG in unilateral mesial temporal lobe epilepsy
E Pataraia, S Lurger, W Serles, G Lindinger, S Aull, F ... - Epilepsia, 1998 - interscience.wiley.com
... In 1 patient, no seizure could be lateralized by 1 electroencephalographer. The **results** of ictal
EEG recordings did not alter the surgical approach and did not correlate with surgical outcome. ...
Vol: Issue: Page: Go. **SEARCH** WILEY INTERSCIENCE. All **Content** Publication Titles. ...
Cited by 53 - Related articles - BL Direct - All 5 versions

Simultaneous validation of ten physical activity questionnaires in older men: a ...
M Bonnefoy, S Normand, C Pachiaudi, JR ... - Journal of the ..., 2001 - interscience.wiley.com
... Significant **results** with TEE measured by the DLW method were also obtained for college alumni
sports score, Seven Day Recall moderate activity, and Questionnaire d'Activité Physique
Saint-Etienne sports ... **SEARCH** WILEY INTERSCIENCE. All **Content** Publication Titles. ...
Cited by 63 - Related articles - BL Direct - All 4 versions

Trusting information sources one citizen at a time- ▶psu.edu [PDF]
Y Gil, V Ratnakar - Lecture notes in computer science, 2002 - Springer
... a different issue on the Web of Trust regarding whether to trust the **content** of a ... to annotate tradeoffs
and decisions (eg, military planning), or- ganize materials (eg, **search results**), analyze
disagreements ... it can be used to help users justify, update, and share the **results** of their ...
Cited by 105 - Related articles - BL Direct - All 14 versions

Go‿‿‿‿‿‿‿‿‿gle ▶
Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

search results content "degree of rel   Search

Go to Google Home - About Google - About Google Scholar

©2009 Google

Google scholar | "search results" content "degree of reliability"   Search | Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents ▾ | 1990 - 2004 | include citations ▾ | Results **1** - **10** of abou

Trusting information sources one citizen at a time- ▶ psu.edu [PDF]
Y Gil, V Ratnakar - Lecture notes in computer science, 2002 - Springer
... issue on the Web of Trust regarding whether to trust the **content** of a ... tradeoffs and decisions (eg, military planning), or- ganize materials (eg, **search results**), analyze disagreements ... and its source can have a source qualification specified as a **degree of reliability** and credibility. ...
Cited by 105 - Related articles - BL Direct - All 14 versions

[PDF] ▶ Web-based analyses of e-journal impact: approaches, problems, and issues
SP Harter, CE Ford - Journal of the American Society for Information ..., 2000 - dewey.yonsei.ac.kr
... Thus, in a carefully conducted citation search, a significant **degree of reliability** in the resulting data is as ... limitation of Infoseek), along with other textual material from the Info- seek **search results** page ... This step was necessary to conduct a **content** analysis of the backlinks, but also ...
Cited by 69 - Related articles - View as HTML - BL Direct - All 13 versions

TRELLIS: An interactive tool for capturing information analysis and decision ...- ▶ psu.edu
[PDF]
Y Gil, V Ratnakar - Lecture notes in computer science, 2002 - Springer
... tradeoffs and decisions (eg, military planning), organize materials (eg, **search results**), analyze disagreements ... source can have a source qualification specified as a **degree of reliability** and credibility. ... Semantic Annotation and Transcoding: Making Web **Content** More Accessible ...
Cited by 26 - Related articles - BL Direct - All 11 versions

[PDF] ▶ Shifts of interactive intentions and information-seeking strategies in interactive ...
H Xie - Journal of the American Society for Information Science, 2000 - sois.uwm.edu
... Refers to what specific **search results** a user intends to obtain. ... Here is an example of "learning database **content**." In the following example, "I" and "U" refer to ... coder reliability was 0.91 according to Holsti's (1969) re- liability formula.1 The high **degree of reliability** demon- strates ...
Cited by 93 - Related articles - BL Direct - All 5 versions

[PDF] ▶ An evaluation of interactive Boolean and natural language searching with an ...
WR Hersh, DH Hickam - Journal of the American Society for Information ..., 1995 - Citeseer
... vocabulary is required for use by SAPHIRE, no alteration of the **content** is necessary. ... done via a kappa score, which was 0.37, indicating an acceptable **degree of reliability** (Kramer & ... SWORD users had better than chance for recall (r > .4). Thus, reproducibility of **search results** ...
Cited by 30 - Related articles - View as HTML - BL Direct - All 12 versions

Timing Issues and Experiment Scheduling in Faster-Than-Real-Time Simulation- ▶ psu.edu
[PDF]
D Anagnostopoulosa, M Nikolaidoua - SIMULATION, 2003 - sim.sagepub.com
... http://sim.sagepub.com/cgi/**content**/refs/79/11/613 Citations ... experiment, in terms of the number of replications that may be scheduled for execution and whether a compromise is required between the ability to predict for the long future and the **degree of reliability** achieved for ...
Cited by 3 - Related articles - BL Direct - All 3 versions

Patterns between interactive intentions and information-seeking strategies
H Xie - Information processing and Management, 2002 - Elsevier
... related to the problematic situation which affect a user's information-seeking behavior, and one

of the most important variables was a user's objective (goal) with regard to the use of potential **search results. ...** 1 The high **degree of reliability** demonstrates the credibility of this study. ...
Cited by 22 - Related articles - All 5 versions

Access to Law in the French-Speaking World: A Renewed Strategy- ►austlii.edu.au
B Coulilbaly, PP Lemyre, F Viens - UTS L. Rev., 2004 - heinonlinebackup.com
... then evaluated to determine their documentary value and their **degree of reliability**, and finally ...
PHASE III—AUTOMATED INDEXING OF LEGAL **CONTENT** IN FRENCH Droit francophone
already ... decrease processing time and band width use, while also improving **search results. ...**
Cited by 1 - Related articles - All 8 versions

Ariadne, an Interactive Navigation and Search System for Computer-Science ...
M Dreger, S Lohrum, H Schweppe, CD Ziegler - Lecture Notes in Computer ..., 1998 - Springer
... both for navigation and for searching (and also for judging the information **content** of the ... programs,
high-quality subject description can- not be done automatically with the same **degree of reliability. ...**
Users can also get information on their profiles and on the **search results** of the ...
Cited by 1 - Related articles - BL Direct - All 4 versions

An On-Line Protein Digestion Device for Rapid Peptide Mapping by Electrospray ...
G Marie, L Serani, O Laprevote - Anal. Chem, 2000 - pubs.acs.org
... This example reveals the lack of exhaustiveness of databases and the need to cross
information in order to improve the **degree of reliability** that can be attributed to database
search results. ... Related **Content**. Other ACS articles by these authors: ...
Cited by 9 - Related articles - BL Direct - All 5 versions

Goooooooougle ►

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| "search results" content "degree of r | Search |

Go to Google Home - About Google - About Google Scholar

©2009 Google

Google scholar | "search results" content availability value OR c | Search | Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents ▾ | 1990 - 2004 | include citations ▾ | Results **1 - 10** of abou

Relation between properties and performance of zeolites in paraffin cracking
AFH Wielers, M Vaarkamp, MFM Post - Name: Journal of Catalysis, 1991 - osti.gov
... Relation and/or Author (affiliation information) fields and/or Document **Availability**. ... high contribution
of the protolytic cracking route, whereas a low **value** indicates that the ... With increasing temperature,
decreasing aluminium **content**, and decreasing pore dimensions the relative ...
Cited by 84 - Related articles - Cached - All 2 versions

Lingo: **Search results** clustering algorithm based on singular **value** decomposition- ►psu.edu [PDF]
S Osiriski, J Stefanowski, D Weiss - ... of the International IIS: IIPWM'04 ..., 2004 - books.google.com
... latent structure of concepts in documents [1]. An alge- braic method of matrix decomposition called
Singular **Value** Decomposition is ... do 28: select one label with the highest score; 29: end for {STEP
4: Cluster **Content** Discovery} 30 ... Lingo: **Search Results** Clustering Algorithm... ...
Cited by 61 - Related articles - All 5 versions

Cordierite volatile **content** and the role of CO sub 2 in high-grade metamorphism
JK Vry, PE Brown, JW Valley - American Mineralogist, 1990 - osti.gov
... Resource Relation and/or Author (affiliation information) fields and/or Document **Availability**.
Title, Cordierite volatile **content** and the role of CO sub 2 in high-grade ... data.^Many natural
cordierites appear relatively volatile deficient by comparison.^The **degree** of volatile ...
Cited by 55 - Related articles - Cached - All 2 versions

Chlorination of humic materials: byproduct formation and chemical interpretations
DA Reckhow, PC Singer, RL Malcolm - Environmental Science & Technology, 1990 - osti.gov
... and/or Author (affiliation information) fields and/or Document **Availability**. ... CHLOROFORM;
NUCLEAR MAGNETIC RESONANCE;ORGANIC CHLORINE COMPOUNDS;PH
VALUE;STATISTICAL MODELS. ... A statistical model was proposed for activated aromatic **content** ...
Cited by 235 - Related articles - Cached - All 3 versions

Value of search results as a whole as the best single measure of information ...
LT Su - Information Processing and Management, 1998 - Elsevier
... containing users' reasons for assigning particular ratings for the **value** of **search results** as a whole
was used. This data was fully transcribed and analyzed to identify conceptual categories or
dimensions of **value**. The same set of rules and procedures for **content** analysis used ...
Cited by 31 - Related articles - BL Direct - All 5 versions

Hierarchical classification of Web **content**- ►psu.edu [PDF]
S Dumais, H Chen - Proceedings of the 23rd annual international ACM ..., 2000 - portal.acm.org
... For the top-level threshold **value** of p=0.20, only 7.4% of the second-level categories need to
be examined. ... in this paper explores the use of hierarchical structure for classifying a large,
heterogeneous collection of web **content** to support classification of **search results**. ...
Cited by 448 - Related articles - All 34 versions

Milestones in time: The **value** of landmarks in retrieving information from personal ...- ►psu.edu [PDF]
M Ringel, E Cutrell, S Dumais, E Horvitz - ... Interaction: INTERACT'03; ..., 2003 - books.google.com
... on probing the **value** of timelines and temporal landmarks for guiding search over subsets of

personal **content**. Our visualization leverages key ideas about episodic memory by annotating a basic timeline with personal and public landmarks when displaying the **search results**. ...
Cited by 97 - Related articles - All 15 versions

The role of nonstoichiometry in 180 [degree] domain switching of LiNbO [sub 3] ...
V Gopalan, TE Mitchell, Y Furukawa, K Kitamura - Appl. Phys. Lett, 1998 - osti.gov
... Resource Relation and/or Author (affiliation information) fields and/or Document **Availability**. ... The switching fields required for 180{**degree**} domain reversal in congruent crystals[C=Li ... is relatively insensitive to the crystal nonstoichiometry and the hydrogen **content**.{copyright}{ital ...
Cited by 54 - Related articles - Cached

[PDF] ▶ The deep web: Surfacing hidden **value**
MK Bergman - Journal of Electronic Publishing, 2001 - Citeseer
... searchable databases are more frequently linked to because of their information **value** which increases ... sites is looked at beyond the large, visible, fee-based ones, public **availability** dominates ... of these sites are public ones, representing about 90% of the **content** available within ...
Cited by 626 - Related articles - View as HTML - All 30 versions

Impact of oxygen-containing surface functional groups on activated carbon ...
CH Tessmer, RD Vidic, LJ Uranowski - ENVIRONMENTAL SCIENCE AND ..., 1997 - osti.gov
... Resource Relation and/or Author (affiliation information) fields and/or Document **Availability** ... wood and coal based activated carbons and an activated carbon whose SFG **content** was modified ... groups and encouraging formation of basic groups by outgassing at 900{**degree**}C. Re ...
Cited by 90 - Related articles - Cached - BL Direct - All 5 versions

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| "search results" content availability v | Search |

Go to Google Home - About Google - About Google Scholar

Access this document

Full Text: PDF (132 KB)

Download this citation

Choose | Citation ▾ |

Download | ASCII Text ▾ |

» Learn More

Rights and Permissions
» Learn More

Ontology based personalized search

Pretschner, A.   Gauch, S.
Inst. fur Inf., Tech. Univ. Munchen;

Abstract
With the exponentially growing amount of information available on the Internet, the task of
documents of interest has become increasingly difficult. Search engines usually return mo
per query, yet out of the top twenty results, only one half turn out to be relevant to the usei
is that Web queries are in general very short and give an incomplete specification of indivi
information needs. This paper explores ways of incorporating users' interests into the seai
improve the results. The user profiles are structured as a concept hierarchy of 4,400 node
populated by 'watching over a user's shoulder' while he is surfing. No explicit feedback is
profiles are shown to converge and to reflect the actual interests quite well. One possible
profiles is investigated: re-ranking and filtering search results. Increases in performance ai
noticeable and show that fully automatic creation of large hierarchical user profiles is poss

Index Terms
Inspec

Controlled Indexing
information needs   query formulation   relevance feedback

Non-controlled Indexing
Internet Web queries ontology based personalized search retrieving docume
process search results user profiles users' information needs
Author Keywords
Not Available

Medical Subject Heading (MeSH Terms)
Not Available

PACS Codes
Not Available

DOE Thesaurus Terms
Not Available

References

No references available on IEEE Xplore.

Google scholar | content availability value OR degree "search r | Search | Advanced Scholar Search / Scholar Preferences

Scholar | Articles and patents ▾ | 1990 - 2004 | include citations ▾ | Results **1 - 10** of abou

Relation between properties and performance of zeolites in paraffin cracking
AFH Wielers, M Vaarkamp, MFM Post - Name: Journal of Catalysis, 1991 - osti.gov
... Relation and/or Author (affiliation information) fields and/or Document **Availability**. ... high contribution
of the protolytic cracking route, whereas a low **value** indicates that the ... With increasing temperature,
decreasing aluminium **content**, and decreasing pore dimensions the relative ...
Cited by 84 - Related articles - Cached - All 2 versions

Cordierite volatile content and the role of CO sub 2 in high-grade metamorphism
JK Vry, PE Brown, JW Valley - American Mineralogist, 1990 - osti.gov
... Resource Relation and/or Author (affiliation information) fields and/or Document **Availability**.
Title, Cordierite volatile **content** and the role of CO sub 2 in high-grade ... data.^Many natural
cordierites appear relatively volatile deficient by comparison.^The **degree** of volatile ...
Cited by 55 - Related articles - Cached - All 2 versions

Chlorination of humic materials: byproduct formation and chemical interpretations
DA Reckhow, PC Singer, RL Malcolm - Environmental Science & Technology, 1990 - osti.gov
... and/or Author (affiliation information) fields and/or Document **Availability**. ... CHLOROFORM;
NUCLEAR MAGNETIC RESONANCE;ORGANIC CHLORINE COMPOUNDS;PH
VALUE;STATISTICAL MODELS. ... A statistical model was proposed for activated aromatic **content** ...
Cited by 235 - Related articles - Cached - All 3 versions

The role of nonstoichiometry in 180 [degree] domain switching of LiNbO [sub 3] ...
V Gopalan, TE Mitchell, Y Furukawa, K Kitamura - Appl. Phys. Lett, 1998 - osti.gov
... Resource Relation and/or Author (affiliation information) fields and/or Document **Availability**. ... The
switching fields required for 180{**degree**} domain reversal in congruent crystals[C=Li ... is relatively
insensitive to the crystal nonstoichiometry and the hydrogen **content**.{copyright}{ital ...
Cited by 54 - Related articles - Cached

Value of **search results** as a whole as the best single measure of information ...
LT Su - Information Processing and Management, 1998 - Elsevier
... containing users' reasons for assigning particular ratings for the **value** of **search results** as a whole
was used. This data was fully transcribed and analyzed to identify conceptual categories or
dimensions of **value**. The same set of rules and procedures for **content** analysis used ...
Cited by 31 - Related articles - BL Direct - All 5 versions

Milestones in time: The **value** of landmarks in retrieving information from personal ...-
▶ psu.edu [PDF]
M Ringel, E Cutrell, S Dumais, E Horvitz - ... Interaction: INTERACT'03; ..., 2003 - books.google.com
... on displaying categorical, summary, and/or thumbnail information with **search results** (Dumais
et al., 2001; Dziadosz & Chandrasekar, 2002). Our project centers on probing the **value** of
timelines and temporal landmarks for guiding search over subsets of personal **content**. ...
Cited by 97 - Related articles - All 15 versions

Impact of oxygen-containing surface functional groups on activated carbon ...
CH Tessmer, RD Vidic, LJ Uranowski - ENVIRONMENTAL SCIENCE AND ..., 1997 - osti.gov
... Resource Relation and/or Author (affiliation information) fields and/or Document **Availability** ... wood
and coal based activated carbons and an activated carbon whose SFG **content** was modified ...

groups and encouraging formation of basic groups by outgassing at 900{**degree**}C. Re ...
Cited by 90 - Related articles - Cached - BL Direct - All 5 versions

Evaluating the source and **content** of orthopaedic information on the Internet: the ...
PK Beredjiklian, DJ Bozentka, DR Steinberg, J ... - The Journal of Bone and ..., 2000 - JBJS
... The **search results** then were given as an ordered list of universal resource locators, or
web-site addresses. ... These web sites then were evaluated for authorship and **content**, and an
informational **value** score ranging from 0 to 100 points was assigned to each. ...
Cited by 78 - Related articles - BL Direct - All 3 versions

[PDF] ► **Content**-based image indexing
TC Chiueh - Proceedings of the International Conference on Very ..., 1994 - Citeseer
... The first and third differences will impact the image processing algorithms that underly
content-based im ... of multi-tree index search is that there exists a way to combine the **search results**
from each ... One solution is to use a larger u **value** for the searches in each component index ...
Cited by 162 - Related articles - View as HTML - BL Direct - All 10 versions

Tribological properties and characterization of diamond-like carbon coatings with ...
K Oguri, T Arai - Name: Surface and Coatings Technology, 1991 - osti.gov
... Resource Relation and/or Author (affiliation information) fields and/or Document **Availability**. ... friction
coefficient {mu} of the aC-Si-H coatings changed markedly with the carbon **content**. ... at around
60 at.% C (composition excluding hydrogen) and reached a minimum **value** as low ...
Cited by 77 - Related articles - Cached - All 2 versions

Goooooooooogle ►

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

content availability value OR degree   Search

Go to Google Home - About Google - About Google Scholar

©2009 Google

Web Images Videos Maps News Shopping Gmail more ·   Sign in

Google scholar | "web page" availability value OR degree "sear   Search | Advanced Scholar Search
                                                                                  Scholar Preferences

Scholar | Articles and patents ▾ | 1990 - 2004 | include citations ▾ | Results **1 - 10** of abou

The anatomy of a large-scale hypertextual Web search engine- ► psu.edu [PDF]
S Brin, L Page - Computer networks and ISDN systems, 1998 - Elsevier
... They are somewhat mediated by the **availability** of auxiliary data such as hyperlinks and formatting ...
GB Total without repository 55.2 GB Total with repository 108.7 GB **Web page** statistics Number ...
points to helps the search engine return relevant (and to some **degree** high quality ...
Cited by 5997 - Related articles - All 360 versions

[PDF] ► The deep web: Surfacing hidden value
MK Bergman - Journal of Electronic Publishing, 2001 - Citeseer
... and HTTP headers.(20) In partnership with Inktomi, NEC updated its **Web page** estimates to ...
searchable databases are more frequently linked to because of their information **value** which
increases ... looked at beyond the large, visible, fee-based ones, public **availability** dominates ...
Cited by 626 - Related articles - View as HTML - All 30 versions

How do consumers search for and appraise health information on the world wide ...- ► bmj.com
G Eysenbach, C Kohler - British Medical Journal, 2002 - bmj.com
... cycle 4 5 little or nothing is known about whether and to what **degree** such markers ... One elderly
participant thought that the 10 **search results** displayed on the first page were all that ... The 17
participants could find no **web page** that contained the answer to the question for only ...
Cited by 507 - Related articles - BL Direct - All 13 versions

Analysis of a very large web search engine query log- ► psu.edu [PDF]
C Silverstein, H Marais, M Henzinger, M Moricz - ACM SIGIR Forum, 1999 - portal.acm.org
... The user may click on any URL to explore the associated **web page**. ... O() is the number of queries
in which a does not occur. The X 2 **value** has a chi-squared distribution. (In par- ticular, for boolean
data it has a chi-squared distribution with one **degree** of freedom.) Looking up ...
Cited by 579 - Related articles - BL Direct - All 12 versions

Incorporating quality metrics in centralized/distributed information retrieval on the ...- ≫ psu.edu [PDF]
X Zhu, S Gauch - Proceedings of the 23rd annual international ACM ..., 2000 - portal.acm.org
... 4,385 concept reference ontology, where each concept has an associated quantity **value** and
5 ... To calculate the quantity metric for each concept, each **Web page** on the site to be ... the information
quantity /elated to each topic j (Wij), currency (Tij), **availability** (Aij), information-to ...
Cited by 103 - Related articles - All 9 versions

What's new on the web?: the evolution of the web from a search engine ...- ► psu.edu [PDF]
A Ntoulas, J Cho, C Olston - ... of the 13th international conference on ..., 2004 - portal.acm.org
... An obsolete index leads to irrelevant or "broken" **search results**, wasting users' time and causing
frustration ... change: The past **degree** of change exhibits a strong correlation with the future **degree**
of change ... The best match was with a linear trend, but the R- squared **value** was still ...
Cited by 244 - Related articles - All 43 versions

[PDF] ► Transcription element search software on the WWW
J Schug, GC Overton - Technical Report CBIL-TR-1997 – 1001-V 00, of the ..., 1997 - Citeseer
... The results page is the same as the string **search results** page, but it is extended with a hot-linked

table of the factors used in the ... Q A has a maximum **value** of 1 which indicates a `perfect' match for the weight matrix. ... The **web page** search form allows the user to set the minimum ...
Cited by 185 - Related articles - View as HTML - All 7 versions

An adaptive **web page** recommendation service- ►**psu.edu** [PDF]
M Balabanović - Proceedings of the first international conference on ..., 1997 - portal.acm.org
... has been much research on analyzing doc- ument content in order to improve recommendations or **search results**. ... For each agent the heuristic function used to evaluate a **Web page** w is r(w,m ... method is used, based on the comparison function p. We calculate the **value** of this ...
Cited by 245 - Related articles - All 9 versions

Links and power: the political economy of linking on the Web- ►**psu.edu** [PDF]
J Walker - Proceedings of the thirteenth ACM conference on ..., 2002 - portal.acm.org
... ABSTRACT Search engines like Google interpret links to a **web page** as objective, peer-endorsed and machine ... from A to B is worth more than a link from C to B. The **value** determined in this way is called a page's PageRank and determines its placement in **search results** [2, 7 ...
Cited by 66 - Related articles - All 13 versions

Trawling the Web for emerging cyber-communities- ►**psu.edu** [PDF]
R Kumar, P Raghavan, S Rajagopalan, A Tomkins - Computer networks, 1999 - Elsevier
... The method constructs a number of local hashes of the **Web page** and compares smallest few hash values ... turn out not to be critical; the calculation above shows that the correct **value** is around ... We conservatively set k to 50, and prune all pages that have in-**degree** 50 or larger ...
Cited by 764 - Related articles - All 32 versions

"web page" availability value OR de(Search |

Go to Google Home - About Google - About Google Scholar

PORTAL
USPTO

THE GUIDE TO COMPUTING LITERATURE

⌖ Feedback

Incorporating quality metrics in centralized/distributed information retrieval on the World Wide Web

Full text   📄 Pdf (835 KB)

Source   **Annual ACM Conference on Research and Development in Information Retrieval** archive
Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval table of contents
Athens, Greece
Pages: 288 - 295
Year of Publication: 2000
ISBN:1-58113-226-3

Authors   Xiaolan Zhu   Department of Electrical Engineering and Computer Science, University of Kansas, Lawrence, KS
Susan Gauch   Department of Electrical Engineering and Computer Science, University of Kansas, Lawrence, KS

Sponsors   Athens U of Econ & Business : Athens University of Economics and Business
Greek Com Soc : Greek Computer Society
SIGIR: ACM Special Interest Group on Information Retrieval

Publisher   ACM   New York, NY, USA

Bibliometrics   Downloads (6 Weeks): 19,   Downloads (12 Months): 128,   Citation Count: 21

Additional Information: abstract   references   cited by   index terms   collaborative colleagues

Tools and Actions: ◆〉 Request Permissions   Review this Article

Save this Article to a Binder   Display Formats: BibTeX   EndNote   ACM Ref

DOI Bookmark: Use this link to bookmark this Article: http://doi.acm.org/10.1145/345508.345602
What is a DOI?

↑ ABSTRACT

Most information retrieval systems on the Internet rely primarily on similarity ranking algorithms based solely on term frequency statistics. Information quality is usually ignored. This leads to the problem that documents are retrieved without regard to their quality. We present an approach that combines similarity-based similarity ranking with quality ranking in centralized and distributed search environments. Six quality metrics, including the *currency, availability, information-to-noise ratio, authority, popularity,* and *cohesiveness,* were investigated. Search effectiveness was significantly improved when the currency, availability, information-to-noise ratio and page cohesiveness metrics were incorporated in centralized search. The improvement seen when the availability, information-to-noise ratio, popularity, and cohesiveness metrics were incorporated in site selection was also significant. Finally, incorporating the popularity metric in information fusion resulted in a significant improvement. In summary, the results show that incorporating quality metrics can generally improve search effectiveness in both centralized and distributed search environments.

↑ REFERENCES

What's new on the web?: the evolution of the web from a search engine perspective

Full text   🔲 Pdf (502 KB)

Source   **International World Wide Web Conference** archive
Proceedings of the 13th international conference on World Wide Web table of contents
New York, NY, USA
SESSION: Search engineering 1 table of contents
Pages: 1 - 12
Year of Publication: 2004
ISBN:1-58113-844-X

Authors   Alexandros Ntoulas University of California at Los Angeles, Los Angeles, CA
Junghoo Cho   University of California at Los Angeles, Los Angeles, CA
Christopher Olston Carnegie Mellon University, Pittsburgh, PA

Sponsor   ACM: Association for Computing Machinery

Publisher   ACM New York, NY, USA

Additional Information: abstract references cited by index terms collaborative colleagues

Tools and Actions: Review this Article

Save this Article to a Binder   Display Formats: BibTeX EndNote ACM Ref

DOI Bookmark: Use this link to bookmark this Article: http://doi.acm.org/10.1145/988672.988674
What is a DOI?

↑ ABSTRACT

We seek to gain improved insight into how Web search engines shouldcope with the evolving Web, in an attempt to provide users with themost up-to-date results possible. For this purpose we collectedweekly snapshots of some 150 Web sites over the course of one year,and measured the evolution of content and link structure. Our measurements focus on aspects of potential interest to search engine designers: the evolution of link structure over time, the rate ofcreation of new pages and new distinct content on the Web, and the rate of change of the content of existing pages under search-centric measures of degree of change.Our findings indicate a rapid turnover rate of Web pages, i.e.,high rates of birth and death, coupled with an even higher rate ofturnover in the hyperlinks that connect them. For pages that persistover time we found that, perhaps surprisingly, the degree of contentshift as measured using TF.IDF cosine distance does not appear to beconsistently correlated with the frequency of contentupdating. Despite this apparent non-correlation, the rate of content shift of a given page is likely to remain consistent over time. That is, pages that change a great deal in one week will likely change by a similarly large degree in the following week. Conversely, pages that experience little change will continue to experience little change. We conclude the paper with a discussion of the potential implications ofour results for the design of effective Web search engines.

↑ REFERENCES

Web   Images   Videos   Maps   News   Shopping   Gmail   more ▾   Sign in

Google scholar | "web page" availability threshold "search resul   Search | Advanced Scholar Search
                                                                                                   Scholar Preferences

Scholar | Articles and patents   ▾ | | 1990   _ | 2004 | include citations   ▾ | Results **1 - 10** of abou

[PDF] ► Transcription element search software on the WWW
J Schug, GC Overton - Technical Report CBIL-TR-1997 – 1001-V 00, of the ..., 1997 - Citeseer
... The results page is the same as the string **search results** page, but it is extended with a hot-linked
table of the factors used in the search. ... The **web page** search form allows the user to set the
minimum ... secondary Q **threshold** which is used only to indicate better alignments. ...
Cited by 185 - Related articles - View as HTML - All 7 versions

Trawling the Web for emerging cyber-communities- ► **psu.edu** [PDF]
R Kumar, P Raghavan, S Rajagopalan, A Tomkins - Computer networks, 1999 - Elsevier
... We looked at the outputs of over 500 good Clever **search results** that were created during a ... The
method constructs a number of local hashes of the **Web page** and compares smallest few hash ...
all pages that have an in-degree greater than a carefully chosen **threshold** k. The ...
Cited by 764 - Related articles - All 32 versions

Adaptive web search based on user profile constructed without any effort from ...- ► **psu.edu**
[PDF]
K Sugiyama, K Hatano, M Yoshikawa - Proceedings of the 13th ..., 2004 - portal.acm.org
... When the user submits a query the next time, the **search results** adapt based on his/her user
profile. 677 Page 4. ... c hp (r) = £ 1; dr ≥ Th, 0; dr < Th, (2) where dr denotes the time spent reading
normalized by the number of terms in **Web page** hp (r) , and **threshold** Th is set to ...
Cited by 233 - Related articles - All 34 versions

Optimizing web search using web click-through data- ► **psu.edu** [PDF]
GR Xue, HJ Zeng, Z Chen, Y Yu, WY Ma, WS Xi, ... - Proceedings of the ..., 2004 - portal.acm.org
... For example, if we assume that each **web page** is visited by the queries only once in the Figure
2, we can apply the above formula to compute the ... If the similarity value between two web pages
is greater than a minimum **threshold** σ , the two web pages are treated as similar. ...
Cited by 103 - Related articles - All 7 versions

Web-page classification through summarization
D Shen, Z Chen, Q Yang, HJ Zeng, B Zhang, Y ... - Proceedings of the 27th ..., 2004 - portal.acm.org
... order to make use of these objects, from the above types of objects, we define the Content Body
(CB) of a **Web page** which consists ... similarity between any two objects using Cosine similarity
computation, and add a link between them if their similarity is greater than a **threshold**. ...
Cited by 83 - Related articles - All 12 versions

GeneCards: a novel functional genomics compendium with automated data mining ...-
► **oxfordjournals.org** [PDF]
M Rebhan, V Chalifa-Caspi, J Prilusky, D Lancet - Bioinformatics, 1998 - Oxford Univ Press
... The **Web page** that presents the information related to one particular gene, referred to as the
'GeneCard' (Figure 1), is created on-the ... the data and **availability**. ... for the respective gene, based
on their frequency in the Glimpse index (only those below a particular **threshold** are taken ...
Cited by 166 - Related articles - BL Direct - All 8 versions

[PDF] ► ... and function: the impact of query term and operator usage on web **search results**
W Lucas, H Topi - Journal of the American Society for Information Science   , 2002 - Citeseer
... Operator Usage on Web **Search Results** Wendy Lucas Computer Information Systems Department,

Bentley College, Waltham, MA 02452-4705. **...** Buried within the pages of many search engine sites lie detailed instructions on improving the effectiveness of **search results. ...**
Cited by 61 - Related articles - View as HTML - BL Direct - All 12 versions

Webmate: A personal agent for browsing and searching- ►nsysu.edu.tw [PDF]
L Chen, K Sycara - Proceedings of the second international conference ..., 1998 - portal.acm.org
... pages and recommends the pages whose similarity is greater than some **threshold** presenting the **...** present a typical example of how our re- finement method indeed helps improve **search results. ...** keywords can reflect the relevance better than the whole content of the **web page. ...**
Cited by 465 - Related articles - All 15 versions

PEBL: Positive example based learning for **Web page** classification using SVM- ►psu.edu
[PDF]
H Yu, J Han, KCC Chang - Proceedings of the eighth ACM SIGKDD ..., 2002 - portal.acm.org
... Web pages are based on loosely structured text, many variances of statistical text learning algorithms have been applied to **Web page** classification **...** start by searching for the keywords "XML" or "expert" on any search engine, then trying to refine the **search results** repeatedly until **...**
Cited by 122 - Related articles - All 15 versions

[PDF] ►The deep web: Surfacing hidden value
MK Bergman - Journal of Electronic Publishing, 2001 - Citeseer
... and HTTP headers.(20) In partnership with Inktomi, NEC updated its **Web page** estimates to **...** source option and then counting total documents and documents above the quality scoring **threshold. ...** is looked at beyond the large, visible, fee-based ones, public **availability** dominates **...**
Cited by 626 - Related articles - View as HTML - All 30 versions

Goooooooooogle ►

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| "web page" availability threshold "se   Search |

Go to Google Home - About Google - About Google Scholar

Google scholar `"web page" reachable value "search results" -c` Search | Advanced Scholar Search
Scholar Preferences

Scholar | Articles and patents ▾ | 1990 - 2004 | include citations ▾ | Results **1 - 10** of abou

[PDF] ► **Crawling the hidden web**
S Raghavan, H Garcia-Molina - ... of the International Conference on Very Large ..., 2001 - Citeseer
... This refers to the set of web pages **reachable** purely by following hypertext links, ignoring search
forms and pages that require authorization or prior registration. **...** The sequence of **value** assignments
are generated using the model described in Section 3.3. **...** 10 **Page** 11. **...**
Cited by 429 - Related articles - View as HTML - BL Direct - All 61 versions

Scaling personalized web search- ► **psu.edu** [PDF]
G Jeh, J Widom - Proceedings of the 12th international conference on ..., 2003 - portal.acm.org
... global "importance" scores that can be used to influence the rank- ing of **search results**. **...** same
linear combination of the corresponding PPV's v 1 and v 2 . The proof is in the full version [7].
Let x 1 , . . . , x n be the unit vectors in each dimension, so that for each i, x i has **value** 1 at **...**
Cited by 357 - Related articles - All 31 versions

[PDF] ► **Recognition of Common Areas in a Web Page Using Visual Information: a possible ...**
M Kovacevic, M Diligenti, M Gori, V ... - Proceedings of the 2002 ..., 2002 - nautilus.dii.unisi.it
... By step is meant visiting (and downloading and indexing) a page **reachable** from S following
hyperlinks from pages in S. In **...** **Web page** classification using previously extracted visual information. **...**
Each TE includes name of the corresponding tag and a list of attribute-**value** pairs. **...**
Cited by 63 - Related articles - View as HTML - All 11 versions

What's new on the web?: the evolution of the web from a search engine ...- ► **psu.edu** [PDF]
A Ntoulas, J Cho, C Olston - ... of the 13th international conference on ..., 2004 - portal.acm.org
... An obsolete index leads to irrelevant or "broken" **search results**, wasting users' time and causing
frustration **...** pages of the Web sites, we downloaded in a breadth-first order either all **reachable**
pages in **...** The best match was with a linear trend, but the R- squared **value** was still very **...**
Cited by 244 - Related articles - All 43 versions

ScentTrails: Integrating browsing and searching on the Web- ► **psu.edu** [PDF]
C Olston, EH Chi - ACM Transactions on Computer-Human Interaction (..., 2003 - portal.acm.org
... Information scent is the imperfect, subjective perception of the **value**, cost, or access path of **...** the
degree of similarity as an approximation to how much the content **reachable** via that **...** Second,
since each **Web page** tends to contain a large number of potential destinations, the cues **...**
Cited by 122 - Related articles - BL Direct - All 34 versions

A fully automated object extraction system for the World Wide Web- ► **psu.edu** [PDF]
D Buttler, L Liu, C Pu - International Conference on ..., 2001 - doi.ieeecomputersociety.org
... **Page** 2. **...** All attribute **values** in a tag must be quoted (eg **...** then nodeSize (u) denotes the con- tent
size in bytes of node u . Otherwise, u is a tag node, ie, u 2 V T and fanout (u) > 0. We dene
nodeSize (u) to be the sum of the node sizes of all the leaf nodes **reachable** from node u **...**
Cited by 155 - Related articles - BL Direct - All 12 versions

Building domain-specific web collections for scientific digital libraries: a meta- ...- ► **lth.se** [PDF]
J Qin, Y Zhou, M Chau - Proceedings of the 4th ACM/IEEE-CS joint ..., 2004 - portal.acm.org
... Unlike the simple crawlers behind most general search engines which collect any **reachable**
Web pages in breadth-first order, focused **...** **Web Page** Collection **...** Google achieved a higher precision
than NanoSpot in the experiment, the difference was not significant (p-**value** = 0.11 **...**

Cited by 41 - Related articles - All 11 versions

Focused web searching with PDAs- ▶psu.edu [PDF]

O Buyukkokten, H Garcia-Molina, A Paepcke - Computer Networks, 2000 - Elsevier
... 5a) with the exception that all the links on the root page are guaranteed to be **search results**. ... Same domain: All the pages **reachable** from a given root **Web page** at the same domain are viewed as a Web site. The Web site is identified by the domain name of the root page. ...
Cited by 92 - Related articles - All 23 versions

Methods for sampling pages uniformly from the world wide web- ▶psu.edu [PDF]

P Rusmevichientong, DM Pennock, S Lawrence, ... - AAAI Fall Symposium on ..., 2001 - aaai.org
... Very large **values** of N and M may be required to pro- duce a near-uniform ... this case, Assumption 1holds for all pages in the strongly connected core, all pages **reachable** from the ... The matrix P corresponds to a transition probability where, at any given **web page**, one hyperlink is ...
Cited by 44 - Related articles - All 11 versions

Searching the workplace web- ▶psu.edu [PDF]

R Fagin, R Kumar, KS McCurley, J Novak, D ... - Proceedings of the 12th ..., 2003 - portal.acm.org
... is often no incentive for the content creator to strive to design a particularly good **web page** that attracts ... that are **reachable** from the SCC via hyperlinks, and P refers to the set of pages **reachable** from IN ... 9] on the con- tent for each page, group the URL records by the **value** of the ...
Cited by 102 - Related articles - All 23 versions

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

"web page" reachable value "search   Search |

Go to Google Home - About Google - About Google Scholar

©2009 Google

Google scholar | "web page" accessible value "search results" -   Search | Advanced Scholar Search
                                                                              Scholar Preferences

Scholar | Articles and patents ▼ | | 1990 | - | 2004 | | include citations ▼ | Results **1 - 10** of abou

Analysis of a very large web search engine query log- ▶ psu.edu [PDF]
C Silverstein, H Marais, M Henzinger, M Moricz - ACM SIGIR Forum, 1999 - portal.acm.org
... The AltaVista search environment consists of several compo- nents that are important for analyzing queries: the engine it- self, which is **accessible** from the ... The user may click on any URL to explore the associated **web page**. ... print of each query, which is merely a hash **value**. ...
Cited by 579 - Related articles - BL Direct - All 12 versions

[PDF] ▶ The deep web: Surfacing hidden **value**
MK Bergman - Journal of Electronic Publishing, 2001 - Citeseer
... A full ninety-five per cent of the deep Web is publicly **accessible** information -- not ... Engines: Dragging a Net Across the Web's Surface Searchable Databases: Hidden **Value** on the ... records retrieved from a searchable database are forwarded to a dynamic **Web page** template that ...
Cited by 626 - Related articles - View as HTML - All 30 versions

BCM Search Launcher--an integrated interface to molecular biology data base ...- ▶ 171.66.122.45 [PDF]
RF Smith, BA Wiese, MK Wojzynski, DB Davison, KC ... - Genome Research, 1996 - 171.66.122.45
... This page organizes WWW-**accessible** sequence and pattern data base search tools that can be used ... Second, **search results** are deposited di- rectly into one's directory, and the results are saved with the ... desire to be able to fill in a single HTML form on our **Web page**, launch a ...
Cited by 312 - Related articles - BL Direct - All 7 versions

Links and power: the political economy of linking on the Web- ▶ psu.edu [PDF]
J Walker - Proceedings of the thirteenth ACM conference on ..., 2002 - portal.acm.org
... ABSTRACT Search engines like Google interpret links to a **web page** as objective, peer-endorsed and machine ... However, certain web sites have always been more **accessible** than others ... over the market by using links as the primary method of determining the **value** and thereby ...
Cited by 66 - Related articles - All 13 versions

ProFusion*: Intelligent fusion from multiple, distributed search engines- ▶ psu.edu [PDF]
S Gauch, G Wang, M Gomez - Journal of Universal Computer Science, 1996 - jucs.org
... One solution is to use a large **Web page** that lists several search engines and allows users to ... When AutoPick is used, this **value** is further multiplied by the goodness of match score ... Many times, the same document is **accessible** from multiple URLs and thus is multiply indexed by ...
Cited by 148 - Related articles - All 21 versions

[PDF] ▶ Crawling the hidden web
S Raghavan, H Garcia-Molina - ... of the International Conference on Very Large ..., 2001 - Citeseer
... As a result, the content from these databases is **accessible** only through dynamically generated pages, delivered in response to user queries. ... The sequence of **value** assignments are generated using the model described in Section 3.3. 4.1 HiWE Architecture ... 10 **Page** 11. ...
Cited by 429 - Related articles - View as HTML - BL Direct - All 61 versions

What's new on the web?: the evolution of the web from a search engine ...- ▶ psu.edu [PDF]
A Ntoulas, J Cho, C Olston - ... of the 13th international conference on ..., 2004 - portal.acm.org
... An obsolete index leads to irrelevant or "broken" **search results**, wasting users' time and causing frustration. ... also estimate that only 20% of the pages avail- able today will be still **accessible** after

one ... The best match was with a linear trend, but the R- squared **value** was still very ...
Cited by 244 - Related articles - All 43 versions

[PDF] ►What can you do with a Web in your Pocket?
S Brin, R Motwani, L Page, T Winograd - Data Engineering Bulletin, 1998 - Citeseer
... roughly 25% were not found on Amazon (which incidentally is not a part of the WebBase since
they are not **accessible** 4 ... two web pages that point to each other but to no other page, and suppose
there is some **web page** that points to ... E be uniform over all web pages with **value** . ...
Cited by 92 - Related articles - View as HTML - All 13 versions

Semantic search- ►psu.edu [PDF]
R Guha, R McCool, E Miller - ... of the 12th international conference on ..., 2003 - portal.acm.org
... more human readable information than Figure 2, but almost all the machine under- standable
parts of that **Web page** correspond to ... GetData(< resource >, < property >) ⇒< **value** > ... The graphs
encoded in these files are automatically made **accessible** via the GetData interface. ...
Cited by 332 - Related articles - All 22 versions

Ontology-based personalized search and browsing- ►psu.edu [PDF]
S Gauch, J Chaffee, A Pretschner - Web Intelligence and Agent Systems, 2003 - IOS Press
... As the number of Internet users and the number of **accessible** Web pages grows, it is becoming ...
surfing behavior of the user, specifically the content, length, and time spent on each **Web page**
they visit ... Intuitively, if a user spends a long time on the page, their interest **value** in that ...
Cited by 158 - Related articles - BL Direct - All 17 versions

Goooooooooogle ►

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| "web page" accessible value "searcl | Search |

Go to Google Home - About Google - About Google Scholar